Author Index

Aglietti	G S	A lighter enclosure for electronics for space applications	131–142
Aglietti	G S	Verification of various modelling techniques for simply-supported piezoelectric actuated thin panel	155–164
Ahmad	S M	Non-linear modelling of a one-degree-of-freedom twin-rotor multi-input multi-output system using radial basis function networks	197–208
Allen	C B	An algebraic grid motion technique for large deformations	51–58
Antoine	F	Simplified modellization of gear micropitting	291–302
Archer	R D	Interaction between wear processes and limit cycle oscillations of a control surface with free-play non-linearity	143–154
Becker	A A	A validation of the 3-D finite element contact method for use with Curvic couplings	63–75
Besson	J-M	Simplified modellization of gear micropitting	291–302
Cain	A B	Innovative actuators for active flow and noise control	303–324
Cao	Y	Helicopter manoeuvre gaming simulation and mathematical inverse solution	41–49
Champneys	A R	Analysis of piecewise linear aeroelastic systems using numerical continuation	1–11
Chipperfield	A J	Non-linear modelling of a one-degree-of-freedom twin-rotor multi-input multi-output system using radial basis function networks	197–208
Carke	T	Analysis and design using the allowable eigenvector subspace	117–130
Cunningham	P R	Verification of various modelling techniques for simply-supported piezoelectric actuated thin panel	155–164
Curran	R	Impact of aerodynamic surface tolerance on aircraft cost driver	29–39
di Bernado	M	Analysis of piecewise linear aeroelastic systems using numerical continuation	1–11
Edwards	M R	Materials for military helicopters	77–88
Ensor	J	Analysis and design using the allowable eigenvector subspace	117–130
Evans	A	Flight deck indication of health monitoring data—a critique	249–258
Eyles	J M	Particle image velocimetry and laser Doppler anemometry experimental studies of a compressible short take-off and vertical landing ground vortex flow	171–188
Frulla	G	Preliminary reliability design of a solar-powered high-altitude very long endurance unmanned air vehicle	189–196
Gaitonde	A L	A 2-D linearized unsteady Euler scheme for pulse response calculations	89–104
Hyde	T H	A validation of the 3-D finite element contact method for use with Curvic couplings	63–75
Jones	D P	Analysis of piecewise linear aeroelastic systems using numerical continuation	1–11
Jones	D P	A 2-D linearized unsteady Euler scheme for pulse response calculations	89–104
Jones	R I	The more electric aircraft—assessing the benefits	259–270
Jones	R I	A dynamic model of ceramic/fibre-reinforced plastic hybrid composites under projectiles	325–332
Kelly	D W	Interaction between wear processes and limit cycle oscillations of a control surface with free-play non-linearity	143–154
Knowles	K	Particle image velocimetry and laser Doppler anemometry experimental studies of a compressible short take-off and vertical landing ground vortex flow	171–188
Kundu	A	Impact of aerodynamic surface tolerance on aircraft cost driver	29–39
Kuo	T-C	satellite	237–248
Langley	R S	Verification of various modelling techniques for simply-supported piezoelectric actuated thin panels	155–164
Lawson	N J	Particle image velocimetry and laser Doppler anemometry experimental studies of a compressible short take-off and vertical landing ground vortex flow	171–188
Lee	Y Y	Dynamic stability of a curved beam under sinusoidal loading	209–218
Lieven	N A J	Analysis of piecewise linear aeroelastic systems using numerical continuation	1–11
McFadden	R	Impact of aerodynamic surface tolerance on aircraft cost driver	29–39
Mirer	S A	Limiting stationary motions of a body on a string	225–236
Newman	S J	Helicopter flight around a ship's superstructure	13–28
Ng	C F	Dynamic stability of a curved beam under sinusoidal loading	209–218
Paterna	D	Influence of rarefaction on the computation of aerodynamic parameters in hypersonic	277–290
Poon	W Y	Dynamic stability of a curved beam under sinusoidal loading	209–218
Raghunathan	S	Impact of aerodynamic surface tolerance on aircraft cost driver	29–39
Raman	G	Innovative actuators for active flow and noise control	303–324
Richardson	I J	A validation of the 3-D finite element contact method for use with Curvic couplings	63–75
Roberts	I	Analysis of piecewise linear aeroelastic systems using numerical continuation	1–11
Safi	S A	Interaction between wear processes and limit cycle oscillations of a control surface with free-play non-linearity	143–154
Sarychev	V A	Limiting stationary motions of a body on a string	255–236
Shaheed	M H	Non-linear modelling of a one-degree-of-freedom twin-rotor multi-input multi-output system using radial basis function networks	197–208

© IMechE 2002

Su	Y	Helicopter manoeuvre gaming simulation and mathematical inverse solution	41–49
Taylor	J W	A validation of the 3-D finite element contact method for use with Curvic couplings	63–75
Tokhi	M O	Non-linear modelling of a one-degree-of-freedom twin-rotor multi-input multi-output	197–208
Wakefield	N H	Helicopter flight around a ship's superstructure	13–28
Weaver	P M	Designing composite structures: lay-up selection	105–116
Wilson	P A	Helicopter flight around a ship's superstructure	13–28
Yang	A-S	Determination of plume impingement disturbance characteristics for ROCSAT-1	237–248
Zuppardi	G	Influence of rarefaction on the computation of aerodynamice parameters in hypersonic	277–290

© IMechE 2002